

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	3	(( "5530397" ) or ( "5565811" ) or ( "5841270" ) ).PN.	USPAT; US-PGP UB	2004/08/31 10:09
2	BRS	L2	21	"active resistance" with linear\$7	USPAT; US-PGP UB	2004/08/31 12:06
3	BRS	L3	29	"active resistance" same linear\$7	USPAT; US-PGP UB	2004/08/31 10:12
4	BRS	L4	8	3 not 2	USPAT; US-PGP UB	2004/08/31 10:13
5	BRS	L5	2416	327/540,541,543,545,546.ccls.	USPAT; US-PGP UB	2004/08/31 10:13
6	BRS	L6	1910	323/313,314,315.ccls.	USPAT; US-PGP UB	2004/08/31 10:14
7	BRS	L7	3975	(5 or 6) not (1 or 3)	USPAT; US-PGP UB	2004/08/31 10:14
8	BRS	L8	1067	7 and linear\$7	USPAT; US-PGP UB	2004/08/31 10:15
9	BRS	L9	3025	7 and ((reference or constant or fixed) near3 (voltage or potential))	USPAT; US-PGP UB	2004/08/31 10:15
10	BRS	L10	987	7 and (Vref or "V.sub.ref" or Vint or "V.sub.int")	USPAT; US-PGP UB	2004/08/31 10:16
11	BRS	L11	924	8 and (9 or 10)	USPAT; US-PGP UB	2004/08/31 10:16
12	BRS	L12	556	11 and "current mirror"	USPAT; US-PGP UB	2004/08/31 10:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	532	12 and resist\$4	USPAT; US-PGP UB	2004/08/31 10:17
14	BRS	L14	65	13 and (Vds or "V.sub.ds" or Vsd or "V.sub.sd")	USPAT; US-PGP UB	2004/08/31 10:17
15	BRS	L15	153	13 and ((drain near3 source) near3 voltage)	USPAT; US-PGP UB	2004/08/31 10:18
16	BRS	L16	59	14 and 15	USPAT; US-PGP UB	2004/08/31 11:10
17	BRS	L17	6	14 not 16	USPAT; US-PGP UB	2004/08/31 11:11
18	BRS	L18	94	15 not 16	USPAT; US-PGP UB	2004/08/31 11:12
19	BRS	L19	5	"active resistance" and 7	USPAT; US-PGP UB	2004/08/31 12:07
20	BRS	L20	1904	(triode or ohmic or nonsaturation or non-saturation or resistive) adj (region or area)	USPAT; US-PGP UB	2004/08/31 12:08
21	BRS	L21	108	7 and 20	USPAT; US-PGP UB	2004/08/31 12:08
22	BRS	L22	85	21 not (14 or 15)	USPAT; US-PGP UB	2004/08/31 13:14
23	BRS	L23	363	13 not (14 or 15 or 22)	USPAT; US-PGP UB	2004/08/31 13:14
24	BRS	L24	16	23 and "variable resistor"	USPAT; US-PGP UB	2004/08/31 13:19

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L25	1	23 and (voltage adj controlled adj resistor)	USPAT; US-PGP UB	2004/08/31 14:14
26	BRS	L26	347	23 not (24 or 25)	USPAT; US-PGP UB	2004/08/31 14:15
27	BRS	L27	2	26 and (linear adj current adj voltage)	USPAT; US-PGP UB	2004/08/31 14:16
28	BRS	L28	2	26 and (linear adj voltage adj current)	USPAT; US-PGP UB	2004/08/31 14:16
29	BRS	L29	3	27 or 28	USPAT; US-PGP UB	2004/08/31 14:17
30	BRS	L30	178	26 and gate and drain and source	USPAT; US-PGP UB	2004/08/31 14:18
31	BRS	L31	45	26 and "current control"	USPAT; US-PGP UB	2004/08/31 14:30
32	BRS	L32	160	30 not 31	USPAT; US-PGP UB	2004/08/31 15:09
33	BRS	L33	141	26 not (29 or 31 or 32)	USPAT; US-PGP UB	2004/08/31 15:22
34	BRS	L34	24	12 not 13	USPAT; US-PGP UB	2004/08/31 15:24
35	BRS	L35	368	11 not 12	USPAT; US-PGP UB	2004/08/31 15:24
36	BRS	L36	256	35 and gate\$1	USPAT; US-PGP UB	2004/08/31 15:25

	Type	L #	Hits	Search Text	DBs	Time Stamp
37	BRS	L37	182	35 and (FB or feedback)	USPAT; US-PGP UB	2004/08/31 15:25
38	BRS	L38	42	35 and ((feed\$3 or fed) adj back)	USPAT; US-PGP UB	2004/08/31 15:25
39	BRS	L39	127	36 and (37 or 38)	USPAT; US-PGP UB	2004/08/31 15:34
40	BRS	L40	129	36 not 39	USPAT; US-PGP UB	2004/08/31 15:44
41	BRS	L41	112	35 not 36	USPAT; US-PGP UB	2004/08/31 15:48
42	BRS	L42	143	8 not 11	USPAT; US-PGP UB	2004/08/31 15:49